OIPE JC16
JAN 31 2005
PATENT & TRADEMARK OFFICE



FIG. 1


DISKETTE DRIVE
SCSI
PCMCIA
SERIAL PORT
HARD DRIVE
NETWORK INTERFACE
228
226
224
222
220
218
216
CPU
I/O CONTROLLER
POWER/CLOCK
212
DISPLAY DRIVER
214
208
210
200
RAM
ROM
ASIC
202
204
206

FIG. 2


APPLICATION 1
APPLICATION 2
APPLICATION 3
. . .
APPLICATION N
308
306
OPERATING SYSTEM
304
DEVICE DRIVERS
302
BIOS
200
HARDWARE

FIG. 3


CLIENT
SERVER/ADMINISTRATOR
GUI
410
ENGINE
PROGRAM
402
408
406
TEMPLATES
404
400

FIG. 4


CLIENT LOGON PROCESS
CENTRALIZED ADMINISTRATION
Computer Power On
510
Operating System Loads
512
User logs on to network
514
Operating system loads the user's "profile"
516
ScriptLogic GUI-based Manager (point & check configuration)
Network administrator centrally configures settings that will be applied to each user/ computer based on validation logic
502
508
504
Manager-defined settings are stored in configuration file (template)
The ScriptLogic program is executed on the client computer
User & Computer Information
518
ScriptLogic applies each component of the configuration template to the client computer based on criteria such as group membership of the user, user's logon id, IP subnet, computer name, etc.
520
Manager Defined configuration file (template) read from network
506
Result: client computer and software applications are automatically configured for the user that logged on to that computer - based on the centralized configuration setup by the network administrator
522
SCRIPTLOGIC EXECUTION COMPLETE
524
CLIENT LOGON PROCESS COMPLETE
526

FIG. 5


Domain Authentication
602
ScriptLogic.bat
604
Loader
(SLstart.exe)
606
Configuration File
"Template"
(SLconfig.kix)
610
Common Custom Script 1
(SLcustom1.kix)
612
Main Engine
(SLengine.dll)
608
Common Custom Script 2
(SLcustom2.kix)
614
ScriptLogic
GUI-based
Manager
Operating System
Explorer (Shell)
loads
616
Programs queued by main
engine and Application
Launcher execute
618
600

FIG. 6


Drive Settings
702
Letter
Shared Folder
722
H
\\$HomeServer\$HomeDir$$
704
720
Hide from Windows Explorer
Group
User Name
Workstation Name
MAC Address
IP Address
Host Address
Site
Domain
714
Validation Logic
Type
706
IP Address
708
10.150
OS
Windows 95
Windows 98
NT Workstation
NT Server
Terminal Server
710
Connection
LAN
RAS
712
OK
716
Cancel
718

700

FIG. 7


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
General
Logging
Display
Drives
Path
Printers
Environment
Time Source
$HomeShrServer
(Server or Domain)
Prompt
Purge client %TEMP%\
*.tmp
files on the first Wednesday of every month.
Warn user
3
days before network password will expire.
Check Drive for Concurrent Logins
H
Warn user if less than
200
M8 are free on system drive.
Don't Display Last User Name
Text Logon Screen Only
Script Completion Message
ScriptLogic complete - Have a great day!
Warning Message Boxes
Supplemental Text
Please contact the help desk or your network administrator for assistance.
OK
Cancel

FIG. 8


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
General
Logging
Display
Drives
Path
Printers
Environment
Path
Log File Location
\\SERVER1\LOGS$
Field 1
Current date
Field 2
Current time
Field 3
Logon server
Field 4
NetBIOS machine name
Field 5
Operating System version.build
Field 6
Operating System current service pack NT-
Field 7
TCP/IP address of the client
Field 8
Network MAC address
Field 9
Logon ID of the user
Field 10
Full name of user
Field 11
($PRIV)
Field 12
Connection Type (e.g. LAN RAS)
Field 13
$SystemDrive $FreeSpace
Field 14
Security Identifier (SID)
Purge Log files older than
3
Months
OK
Cancel

FIG. 9


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
General
Logging
Display
Drives
Path
Printers
Environment
Add "Command Prompt Here" to Right-Click Menu
Remove Windows Welcome
Remove IntelliMouse Tips
Remove "Shortcut to" Prefix
Remove Find Fast Startup
Disable NT Print Popup
Rename "My Computer" to:
$UserID on $WKSTA
Rename "Network Neighborhood" to:
$IPADDR ON $Domain
OK
Cancel

FIG. 10


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
General
Logging
Display
Drives
Path
Printers
Environment
Letter
Path
Hidden
Group
Operating System
Connection Type
F \\NTFILE\Vol1 Yes Domain Users 95 98 NT LAN RAS
F \\NTFILE\Vol1 No Domain Admins 95 98 NT LAN RAS
G \\NTFILE\Apps No Domain Users 95 98 NT LAN RAS
H \\NTFILE\$User|D$$ No Domain Users 95 98 NT LAN RAS
J \\NTFILE\DATA No Domain Users 95 98 NT LAN RAS
X \\NTFILE\Archive No Domain Unsers 95 98 NT LAN RAS
W \\SQLSERV\Pivotal No !CRM_Group 95 98 NT LAN RAS
O \\NTFILE\CD1 No !Network_Support 95 98 NT LAN RAS
P \\NTFILE\CD2 No !Network_Support 95 98 NT LAN RAS
Q \\NTFILE\cd3 No !Network_Support 95 98 NT LAN RAS
R \\NTFILE\cd4 No !Network_Support 95 98 NT LAN RAS
S \\NTFILE\cd5 No !Network_Support 95 98 NT LAN RAS
T \\NTFILE\cd6 No !Network_Support 95 98 NT LAN RAS
U \\NTFILE\cd7 No !Network_Support 95 98 NT LAN RAS
N \\NTFILE\r$ No Administrators 95 98 NT LAN RAS
Add
Insert
Modify
Delete
Move Up
Move Down
OK
Cancel

FIG. 11


ScriptLogic Configuration
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
General
Logging
Display
Drives
Path
Printers
Environment
Path
Group
Operating System
Connection Type
F:\BAT
Domain Users
95 98 NT
LAN
F:\UTIL
Domain Users
95 98 NT
LAN
G:\TM
Domain Users
95 98 NT
LAN
Add
Insert
Modify
Delete
Move Up
Move Down
OK
Cancel

FIG. 12


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
General
Logging
Display
Drives
Path
Printers
Environment
LPT# Path Auto Add/Remove Default Group Operating Sytem Cor
1 \\NTFLE\hp4000_acctg Add Yes Domain Users 95 98 NT LAN
1 \\NTFLE\hp4000_sales Add Yes !PrintGroup_Stafftek 95 98 NT LAN
3 \\NTFLE\invoices Add Domain Users 95 98 NT LAN
Add
Insert
Modify
Delete
Move Up
Move Down
OK
Cancel
Apply
Help

FIG. 13


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
General
Logging
Display
Drives
Path
Printers
Environment
Variable
Value
Group
Operating Systems
Connection Type
Initials
$Initials
Domain Users
95 98 NT
LAN RAS
HostName
$HostName
Domain Users
95 98 NT
LAN RAS
UserID
$UserID
Domain Users
95 98 NT
LAN RAS
Add
Insert
Modify
Delete
Move Up
Move Down
OK
Cancel

FIG. 14


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Version
Update Version
Update Executeable
Group
Operating System
4.0
Service Pack 5
\\server1\spacks$$\nt4sp5\update\update.exe
Domain Users
NT
3.51
Service Pack 5
\\server1\spacks$$\nt351sp5\update.exe
Domain Users
NT
Add
Insert
Modify
Delete
Move Up
Move Down
*Note: Service Packs will not be installed on servers.
Anti-Virus
95 Anti-Virus Update Executable
\\ntfile\cheyupd$$\avupdate.exe
NT Anti-Virus Update Executable
OK
Cancel

FIG. 15


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Filespec
Cycle
Cycle
Group
Operating
iexplore.exe
E
Domain Users
NT
$ProgramFilesDir\Internet Explorer \iexplore.exe
E
Domain Users
95 98
$SystemDrive\Program Files\Microsoft Office\Office\ OUTLOOK.EXE
E
Domain Users
95 98 NT
Add
Insert
Modify
Delete
Move Up
Move Down
OK
Cancel

FIG. 16


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Text
Title
Style
Time
Cycle
Cycle Data
Group
O
Glad to see you're working on the weekend!
ScriptLogic
i
5
D
6
Domain Users
9
Glad to see you're working on the weekend!
ScriptLogic
i
5
D
0
Domain Users
9
T.G.I.F
ScriptLogic
i
3
D
5
Domain Users
9
Add
Insert
Modify
Delete
Move Up
Move Down
OK
Cancel

FIG. 17


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Action
Hive
Key
Type
Value
Data
Group
WriteValue HKCU ControlPanel\Keyboard REG_SZ InitialKeyboardIndicators 2 Domain U
WriteValue HKCU ControlPanel\International REG_SZ sShortDate MM/dd/yyyy Domain U
WriteValue HKCU ControlPanel\International REG_SZ sTimeFormat HH:mm:ss Domain U
Add
Insert
Modify
Delete
Move Up
Move Down
OK
Cancel

FIG. 18


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Window Title
Clear Legal Notice
Welcome to ACME Corp.
Message
You are logging on to a private computer network that contains confidential and proprietary information. By pressing OK and continuing to logon, you hereby agree to and accept the Terms of Use as detailed in our company's employment manual.
OK
Cancel

FIG. 19


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Policy
Setting
Group
Operating System
Connection Type
LM: No 9x Password Caching Enable Domain Users 95 98 LAN
LM: Force 9x Domain Logon Enable Domain Users 95 98 LAN
No Start-Menu 'Find' Enable Policies NT LAN RAS
No Start-Menu 'Settings' Enable Policies 95 98 NT LAN RAS
No Start-Menu 'Run' Enable Policies 95 98 NT LAN RAS
No Map Network Drives Enable Policies NT LAN RAS
No Network Neighborhood Enable Policies NT LAN RAS
No Edit Taskbar Enable Policies 95 98 NT LAN RAS
No Display Option Enable Policies NT LAN RAS
No Change Background Enable Policies NT LAN RAS
No Change Screen Saver Enable Policies NT LAN RAS
No Change Display Settings Enable Policies NT LAN RAS
No Registry Tools Enable Policies NT LAN RAS
No Start-Menu 'Shutdown' Enable Policies NT LAN RAS
Add
Insert
Modify
Delete
Move Up
Move Down
Policy Exempt Group
Domain Admins
OK
Cancel

FIG. 20


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Application
Path
Group
Operating System
Connection
Office 8.0 Templates
H:\Templates
Domain Users
*
*
Office 9.0 Templates
H:\Templates
Domain Users
*
*
Office 8.0 Workgroup Templates
G:\Microsoft Office\Templates
Domain Users
*
*
Office 9.0 Workgroup Templates
G:\Microsoft Office\Templates
Domain Users
*
*
Word 8.0 Open/Save
H:\Documents
Domain Users
95 98 NT
LAN RAS
Word 9.0 Open/Save
H:\Documents
Domain Users
95 98 NT
LAN RAS
Word 8.0 Clip Art
G:\Microsoft Office\Clipart
Domain Users
*
*
Word 9.0 Clip Art
G:\Microsoft Office\Clipart
Domain Users
*
*
Excel 8.0 Open/Save
H:\Documents
Domain Users
95 98 NT
LAN RAS
Excel 9.0 Open/Save
H:\Documents
Domain Users
95 98 NT
LAN RAS
Word 7.0 Open/Save
H:\Documents
Domain Users
95 98 NT
LAN RAS
Excel 7.0 Open/Save
H:\Documents
Domain Users
95 98 NT
LAN RAS
Add
Insert
Modify
Delete
Move Up
Move Down
Disable Office Assistant
Enable Live Scrolling
OK
Cancel

FIG. 21


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Setting
Option
Group
Operating System
Connection
Application Data
History
Recent
Cookies
Temporary Internet Files
Personal Folder
Favorites (IE Bookmarks)
H:\Windows\Application Data
H:\Windows\History
H:\Windows\Recent
H:\Windows\Cookies
H:\Windows\Temporary Internet Files
H:\Personal
J:\Common\Bookmarks
Domain Users
95 98 NT
LAN
Add
Insert
Modify
Delete
Move Up
Move Down
OK
Cancel

FIG. 22


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Setting
Option
Group
Operating System
Connection
Common Start Menu
G:\CRM-Group\StartMenu
!CRM_Group
NT
LAN
Common Start Menu
G:\Sales Group\StartMenu
Domain Users
NT
LAN
Common Desktop
G:\AllUsers\Desktop
Domain Users
NT
LAN
Add
Insert
Modify
Delete
Move Up
Move Down
OK
Cancel

FIG. 23


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Start Page
Download Dir
Proxy Enable
Proxy Server
Proxy Port
Proxy Bypass
Proxy Ove
http://home.intelek.com
H:\Downloads
No
Yes
10.0.0.5
8080
No
Yes
Add
Insert
Modify
Delete
Move Up
Move Down
Remove IE4 Tour
Remove Internet Connection Wizard
OK
Cancel

FIG. 24


ScriptLogic Configuration Properties
Policies
MS Office
Shell Folders
NT Common Shell Folders
Internet
Outlook
General
Logging
Display
Drives
Path
Printers
Environment
Updates
Application Launcher
Message Boxes
Registry
Legal Notice
Create Mail Profile for Group
Domain Users
Overwrite Any Existing Profile With Same Name
Profile Template File
exchprof.prf
Mail Profile Name
$FullName
Mailbox Name
$FullName
Exchange Server
\\NTFILE
Prompt to Empty Wastebasket on Exit
Outlook 2000
View Folder List
View Outlook Bar
PAB & Personal Folder Settings
Folder
H:\Exchange
Enable Personal Address Book
PAB File Name
$UserID.PAB
Enable Personal Folders
PST File Name
$UserID.PST
Offline Access Settings
Folder
$SystemDrive\Data
Enable Offline Address Book
Enable Offline Folders
OST File Name
$UserID.OST
OK
Cancel

FIG. 25


User View Policies Options Help
Username
Full Name
Description
User Properties
Username: BStyles
Full Name: Brian Styles
Description: #BJS [Inteletek]
Password: ***********
Confirm Password: ***********
OK
Cancel
Help
User Must Change Password
User Cannot Change Passw
Password Never Expires
Account Disabled
Account Locked Out
User Environment Profile
User: BStyles [Brian Styles)
OK
Cancel
Help
User Profiles
User Profile Path:
Logon Script Name: ScriptLogic
Home Directory
Local Path:
Connect Y: To \\sqlserv\users\BStyles
Groups
Profile
Hours
!DHCp-Conversion
!Executive
!Human Resources
!Internet_Proxy
!Legal
Legal Group

FIG. 26